

Development Permit and Development Variance Permit Applications for 2365 and 2371 Kelly Avenue

RECOMMENDATION:

That Committee of Council:

- 1. Authorize staff to provide notice of the DVP00107 application to vary off-street parking regulations of the Parking and Development Management Bylaw; and*
- 2. Advise Council that issuance of Development Variance Permit DVP00107 and Development Permit DP000597 to facilitate construction of a non-market rental housing development at 2365 & 2371 Kelly Avenue is supported.*

REPORT SUMMARY


This report describes a proposal to construct a non-market rental apartment building 2365 & 2371 Kelly Avenue. The proposed development is the result of a partnership between BC Housing, as the property owner, and New View Society, as the housing operator, to construct a 74 unit, six-storey high performance building to provide independent living for individuals with some level of intellectual or developmental disability. The proposal includes requests to vary parking and family-housing requirements and provides for registration of a Housing Agreement to secure the affordability of the units and responsible management of the building, tenants and parking in perpetuity. Staff recommend Committee authorize staff to provide public notification of the variances and advise Council that Committee supports issuance of the development permit and the development variance permit.

BACKGROUND

Proposal: The New View Society, in partnership with BC Housing (property owner), has applied for a development permit and development variance permit to facilitate construction of a 6-storey, 74-unit non-market rental development at 2365 & 2371 Kelly Ave.

Context: The 1,641 m² (17,663.56 ft²) site is located midblock along the north side of Kelly Avenue and is flanked with lanes to the west and north. The surrounding neighbourhood is already largely developed with apartment residential uses of various ages and densities. Gates Park and Riverside Secondary School are located to the west and the downtown commercial area is to the north. The site is comprised of two lots; the property is generally flat, is currently vacant of structures and fenced for security.

Development Permit and Development Variance Permit Applications for 2365 and 2371 Kelly Avenue



Location Map

Policy and Regulations: The Official Community Plan designates the site as High-Density Apartment Residential and allows for higher profile attached residential uses. The property is zoned RA2 (Residential Apartment 2), which accommodates multi-family residential buildings with floor area ratios of up to 2.5 and heights up to 10 stories.

The objectives of the site's Downtown and Environmental Conservation development permit area designations are intended to:

- Create a sense of community in intensive residential areas by improving the relationship and connection between public and private space along intensive residential streets.
- Facilitate the orderly development of the area and to encourage coordination of the siting, form, and volume of intensive residential buildings and their areas for parking, storage, and landscaping
- Encourage sustainable development and building design, efficient use of energy, water and other resources, and the reduction of waste and pollution.

OCP policies and the Housing Needs Report support meeting housing affordability objectives and encourage the development of rental housing and options for households that do not want or cannot afford to own their home.

The City's Processing of Development Applications Policy provides for the City to fast-track public interest applications through the various application review processes and process the applications at the City's cost.

Development Permit and Development Variance Permit Applications for 2365 and 2371 Kelly Avenue

Project Description: The proposed development is a 6-storey, non-market rental building with 74 apartment units ranging in size from 36m² (384 ft²) to 84m² (905 ft²). The applicants advise the intent of the building is to meet the special needs of individuals with some level of intellectual or developmental disability who are capable of independent living and access offsite supports; accordingly, the proposed unit sizes and mix reflect this intent with a higher number of smaller units including 59 studio units, five 1-bedroom units, and ten 2-bedroom units. All of the units have been designed to be inclusive to those with mobility challenges; five are accessible units and the rest will meet BC Building Code requirements for adaptable units.

Project Profile:

	Bylaw Regulations ¹	Proposed ²	Variance
Site area minimum	930 m ²	1,641 m ²	
Floor area ratio	Up to 2.5	2.1	
Dwelling units	n/a	74	
Accessible units	n/a	7% (5 units)	
Adaptable units	30% (22 units)	93% (69 units)	
Family-oriented units	25% (19 units)	3% (2)	17 units
Building lot coverage	60%	60%	
Building Setbacks:			
Front (Kelly Avenue)	4.0 m	4.0 m	
Interior side (east)	3.0 m	3.0 m	
Interior side (west - lane)	3.0 m	4.0 m	
Rear (lane)	7.5 m	7.5 m	
Building height	30 m	24.73 m	
Indoor amenity space	148 m ² (2 m ² per unit)	239 m ²	
Outdoor amenity space	259 m ² (3.5 m ² per unit)	260 m ²	
Parking (total)	74	18	56
Resident	74	12	
Visitor	-	6	
Small car	25% max (18)	3% (2)	
Accessible spaces	1	2	
Bicycle parking			
Long-term (bike room)	74 (1 per dwelling)	74	
Short-term (bike rack)	6	6	

¹ Refer to the Zoning, Parking and Development Management and Building and Plumbing bylaws for specific regulations

² Information provided by applicant

Development Permit and Development Variance Permit Applications for 2365 and 2371 Kelly Avenue



Looking north along Kelly Ave



Looking northeast at the corner of Kelly Ave and the lane


The applicant advises the design of the building and landscaping reflects development permit guidelines and has been heavily influenced by the intent to soften the height and massing of a taller building, reduce energy consumption by meeting BC Energy Step Code 4 requirements and the desire to promote community and facilitate residents' connections within the building design.

The building is oriented towards Kelly Avenue with a prominent, covered front pedestrian "porch" entrance that includes outdoor seating to encourage a sense of community. The overall character is reflective of the early 20th century time period with brick, horizontal lines and vertical windows; the overall massing and setbacks of upper floor is intended to reflect the 2-4 storey expressions of surrounding buildings, and to articulate and reduce the building's size from the street. The design also provides residents access to a south-facing rooftop deck on the 2nd storey to take advantage of the natural light. Brick masonry is used throughout, extending up to the fourth story and wrapping around the west façade. Hardie-shingle fibre-cement cladding is also provided with vertical spindle railings.


Vehicle access to the underground parking structure is to be located off the rear lane, with both visitor and residents' stalls along with a vehicle wash station. The underground structure will also include secured bike parking and a scooter parking room with short-term bike parking provided at the front of the building. The garbage and recycling facilities are located in a secured structure off the rear lane. There is also a dedicated parking space along the lane for a shuttle service, which will be provided to help meet transportation needs of residents.

The overall development is designed to encourage resident connections with ample communal spaces to gather, including a large entrance lobby and dedicated areas for seating on each upper floor, with attached balconies. The additional amenity space has been programmed with resident access to meeting rooms, a multi-purpose room, kitchen, gym and laundry facilities. The common outdoor spaces at the first and second storeys are surrounded with landscaping and a covered patio, programmed with a community garden, and additional space for residents to socialize.

Development Permit and Development Variance Permit Applications for 2365 and 2371 Kelly Avenue



Proposed landscape at grade



Outdoor amenity space on second storey

In order to accommodate construction, fifteen trees will be removed; including one city-owned tree on the boulevard. The landscape plan proposes to plant 19 new trees, including Maples, Beeches, Snowbells and Lilacs, 1,231 native shrubs and 100 assorted perennials plants within concrete planters, evenly spaced around the edges of the site.

The project will meet environmental conservation area designation as it is being built to Step code 4 with the potentially to achieve a Net-Zero Energy performance). This designed energy performance includes ventilation using Energy Recovery Ventilators (ERVs), a high efficiency VRF-based heat pump system, high efficiency gas heaters activated during peak demand periods, plumbing fixtures with reduced flow rates to conserve potable water consumption, and a detention tank for storm collection, releasing rainwater at a controlled rate during significant rainfall events. A complete list of conservation measures is provided in Schedule A of the draft development permit.

Offsite requirements: The development requires typical off-site improvements including: upgrades to Kelly Avenue ($\frac{1}{2}$ road plus one meter, curb and gutter, 3-meter wide concrete multi-use path, road drainage, landscaping and street lighting), upgrades to the lanes and 3m x 3m corner cuts to the west side of the property. Service upgrades will be required as necessary, and the undergrounding of all overhead utilities. Final off-site improvements would be determined at building permit stage.

Requested Variances:

Parking: The application requires consideration of a variance which would provide for parking requirements to be reduced from 74 stalls to 18 stalls. The applicant advises the parking reflect the anticipated special needs of the intended tenants and was confirmed based on an assessment of historical parking data from existing New View Society residences/clients. The proposal provides 12

Development Permit and Development Variance Permit Applications for 2365 and 2371 Kelly Avenue

spaces for tenants, and 6 visitor parking spaces, two of which are expected to be primarily used by staff (concierge/building manager and janitorial staff). The applicant has advised that all residents will have access to a shuttle service managed by New View Society and, along with bike parking, the building has a secure room with scooter parking and charging spaces.

In order to ensure the parking needs of residents do not exceed supply in perpetuity, the property owner, BC Housing, has proposed to register a Housing Agreement as a condition of DVP issuance which provides a commitment to responsible parking management for the site, including ensuring only 12 tenants are permitted to have a registered vehicle at any one time and providing confirmation and details of tenant vehicle registration to the City upon request.

Family Oriented Dwellings: The applicant has also requested to vary the City's requirement for family-oriented dwelling units. The applicant notes that the building provides for housing that is primarily designed to meet the needs of independent individuals with disabilities and the unit mix/configuration reflects this intent. The applicant further notes 10 of the units are two bedrooms with balconies, which does ensure availability of larger units. The proposed Housing Agreement would also secure housing affordability and detail management/operations of the building.

DISCUSSION

The residential building is attractive, utilizing a variety of architectural approaches to ensure the design meets the intent of the development permit guidelines, incorporates quality materials such as brick, and integrates well into the existing neighbourhood character. The formal entrance and programmed common terrace, as well as indoor gathering spaces will provide for ample opportunities for building community and enhanced wellbeing of the intended tenants. The extraordinary energy performance measures will exceed standards and expectations of the environmental conservation development permit regulations.

The development also aligns with City OCP policies to encourage housing affordability and options to meet the needs of a diverse community, and the findings of the Housing Needs Report which identified the need for more for secure rental units at non-market rates and for varied individual needs. The requested variance to parking and family-friendly units are reasonable given the intended tenant mix of the building, and staff anticipate impacts will be mitigated through an ongoing commitment to responsible parking management and transportation support provided through shuttle services.

Approval of the development permit and requested variances is recommended. As a condition of DVP issuance, staff will finalize a Housing Agreement with the BC Housing to secure housing affordability, detail management/operations of the building and parking, and confirm City input into the selection of any future operator.

Development Permit and Development Variance Permit Applications for 2365 and 2371 Kelly Avenue

FINANCIAL IMPLICATIONS

In accordance with the Processing of Development Applications Policy, the City did not require Development Permit and Development Variance Permit application fees, which total \$13,000.

PUBLIC CONSULTATION

A sign notifying residents of the development permit application was posted on the site November 29, 2024; Planning staff have not received any input specific to the building and landscaping design.

Staff conducted a site visit on June 5th, 2025, to ensure that the sign is in good standing on the subject property.



OPTIONS (✓ = Staff Recommendation)

	#	Description
✓	1	Authorize notification of the development variance permit application, and recommend Council issuance of the development variance permit and development permit at a future Council meeting.
	2	Request additional information or amendments if Committee is of the opinion that such information or amendment would assist in its evaluation of how the design complies with the development permit area designation or variances to regulations.
	3	Refuse the application(s) if the Committee is of the opinion the application does not conform to the design guidelines or does not support the variances to regulations.

ATTACHMENTS

Attachment 1: Draft Development Permit

Attachment 2: Draft Development Variance Permit

Lead author(s): Graeme Muir and Jennifer Little

THE CORPORATION OF THE CITY OF PORT COQUITLAM

“DEVELOPMENT PROCEDURES BYLAW, 2013, NO. 3849”

DEVELOPMENT PERMIT

NO. DP000597

Issued to: Provincial Rental Housing Corporation, INC. NO. BC0052129
(Owner as defined in the Local Government Act,
hereinafter referred to as the Permittee)

Address: 1701-4555 Kingsway, Burnaby, BC V5H 4V8

1. This Development Permit is issued subject to compliance with all of the Bylaws of the Municipality applicable thereto, except as specifically varied by this Permit.
2. This Development Permit applies to and only to those lands within the Municipality described below, and any and all buildings, structures and other development thereon:

Address: 2365 and 2371 Kelly Ave, Port Coquitlam

Legal Description: LOT K DISTRICT LOT 289 GROUP 1 NEW WESTMINSTER DISTRICT
PLAN 22141
LOT L DISTRICT LOT 289 GROUP 1 NEW WESTMINSTER DISTRICT
PLAN 22141

P.I.D.: 009-154-833; 009-154-876

3. The above property has been designated as a Development Permit Area under Section 9.0 – Development Permit Area in the “Official Community Plan Bylaw, 2013, No. 3838”.
4. “Port Coquitlam Zoning Bylaw, 2008, No. 3630” and “Parking and Development Management Bylaw, 2018, No. 4078” are varied, supplemented or both in accordance with the following:
 - a. The form and character of the building, including the siting, height and general design, shall be as shown on drawings numbered DP000597 (1) to DP000597 (29) which are attached hereto and form part of this permit.
 - b. The form and character of on-site landscaping shall be as shown on drawings numbered DP000597 (18) to DP000597 (28) and the following standards for landscaping are imposed:

- (i) All landscaping works and planting materials shall be provided in accordance with the landscaping plan and specifications thereon, which form part of this permit and is attached hereto.
 - (ii) All planting materials shall be able to survive for a period of one year from the date of the site landscape approval by the Municipality.
- c. The building and landscaping shall provide the energy conservation, water conservation and GHG emission reduction elements as shown on Schedule A to the drawings which are attached hereto and form part of this permit.

5. Landscape Security

- (a) As a condition of the issuance of this permit, the security set out below will be held by the Municipality prior to the issuance of a building permit to ensure satisfactory provision of landscaping in accordance with the terms and conditions as set forth in Clause 4 above. There is filed accordingly an irrevocable Letter of Credit or cash security in the amount \$324,096.00 for the purpose of landscaping.
- (b) Should any interest be earned upon the security, it shall accrue to the Permittee and be paid to the Permittee if the security is returned. A condition of the posting of the security is that should the Permittee fail to carry out the works or services as hereinabove stated, according to the terms and conditions of this permit within the time provided, the Municipality may use the security to complete these works or services by its servants, agents or contractors, and any surplus shall be paid over to the Permittee.
- (c) The Permittee shall complete the landscaping works required by this permit within six months of the final inspection for the final phase of the development. Within the six month period, the required landscaping must be installed by the Permittee, and inspected and approved by the Municipality.

If the landscaping is not approved within the six month period, the Municipality has the option of continuing to hold the security until the required landscaping is completed or has the option of drawing the security and using the funds to complete the required landscaping, and recoup additional costs from the Permittee if necessary. In such a case, the Municipality or its agents have the irrevocable right to enter into the property to undertake the required landscaping for which the security was submitted.

- (d) Should the Permittee carry out the works and services permitted by this permit within the time set out above, the security shall be returned to the Permittee.
6. The land described herein shall be developed strictly in accordance with the terms and conditions and provisions of this permit and any plans and specifications attached to this permit, which shall form a part hereof.

7. This permit shall lapse if the Permittee does not substantially commence the construction permitted by this permit within two years of the (issuance) date of this permit.
8. The terms of this permit or any amendment to it, are binding on all persons who acquire an interest in the land affected by this permit.
9. This permit is not a building permit.

APPROVED BY THE COMMITTEE OF COUNCIL THE _____ DAY OF MARCH 2025.

SIGNED THIS _____ DAY OF _____ 2025.

Mayor

Corporate Officer

I ACKNOWLEDGE THAT I HAVE READ AND UNDERSTAND THE TERMS AND
CONDITIONS UPON WHICH THIS PERMIT IS ISSUED.

Applicant (or Authorized Agent or
Representative of Applicant)

NEW VIEW SOCIETY 2371 KELLY AVE., PORT COQUITLAM

ISSUED FOR DP PRIOR TO REV. 1 - 2025-01-10



HOUSING EFFICIENCY

Units:	1,208 m ² (13,101 ft ²)
Circulation:	102 m ² (1,098 ft ²)
Indoor Amenity:	2,760 m ² (29,571 ft ²) Includes 2.0 m ² per Dwelling Unit = 1,408 m ²
Outdoor Amenity/ Landscape Open Space (Excluded):	1,051 m ² (11,359 ft ²) Requires 2.0 m ² per Dwelling Unit = 2,520 m ²
Private Outdoor Amenity (Excluded):	101 m ² (1,082 ft ²)
Service Areas:	14 m ² (151 ft ²)
Admin Areas:	92 m ² (991 ft ²)
Total:	4,942 m ² (53,273 ft ²)
GFA:	4,450 m ² (47,873 ft ²) Excludes Outdoor Amenity
Efficiency:	1.09 (84 m ² / GFA)

Unit Mix (Total):

2 Bed (Adaptable):	10 units (0.8%)
1 Bed (Adaptable):	6 units (0.5%)
Studio (Total):	69 units (5.7%)
Accessible:	1 m ² (11 ft ²)
A-Grade:	5 m ² (54 ft ²)
Total:	74 units - 6% (A-Grade)
Units Per Acre:	14 units on C-1 Acre = 142 U/LA

PROJECT INFORMATION

SITE INFO	009-154-870 & 009-154-833
ADDRESS	2371 KELLY AVE
LEGAL	2371-2371 KELLY AVE
ZONING	NEW WEST DISTRICT, PLAN N1502141 (GROUP 1)
LOT AREA	17,663.56 sq ft
BUILDING AREA	10,607.45 sq ft
LOT COVERAGE	60%

SETBACKS	PERMITTED (m)	PERMITTED (ft)	PROPOSED (m)	PROPOSED (ft)
FRONT	4.00 m	13.12 ft	4.00 m	13.12 ft
REAR	7.50 m	24.61 ft	7.50 m	24.61 ft
SIDE (WEST)	4.00 m	13.12 ft	4.00 m	13.12 ft
SIDE (EAST)	3.00 m	9.84 ft	3.00 m	9.84 ft

DATUMS & HEIGHTS	METRIC	IMPERIAL
AVERAGE NATURAL GRADE	5.55 m	18.21 ft

FLOOD CONSTRUCTION LEVEL	9.88 m	22.67 ft
--------------------------	--------	----------

ALLOWABLE HEIGHT	30.00 m	98.43 ft
PROPOSED HEIGHT	24.73 m	81.14 ft

GROSS FLOOR AREAS		
PARKING GARAGE	963.67 sq m	10372.85 sq ft
1ST FLOOR	925.14 sq m	9959.11 sq ft
2ND FLOOR	712.51 sq m	7659.28 sq ft
3RD FLOOR	772.51 sq m	8359.53 sq ft
4TH FLOOR	772.51 sq m	8359.53 sq ft
5TH FLOOR	674.53 sq m	7260.77 sq ft
6TH FLOOR	674.53 sq m	7260.77 sq ft

TOTAL (EXCLUDING PARKING GARAGE)	4562.80 sq m	49437.31 sq ft
----------------------------------	--------------	----------------

FAR EXCLUSIONS	644.53 sq m	136.00 sq m
----------------	-------------	-------------

GFA - FAR EXCLUSIONS	3510.40 sq m	
----------------------	--------------	--

ALLOWABLE FAR	2.5	4102.5 sq m
PROPOSED FAR	2.1	3765.58 sq m

OPEN SPACE	25.9 sq m	278.22 sq m
REQUIRED OPEN (1% OF GFA)	250 sq m	2688.10 sq m

UNITS PER ACRE	N/A	
REQUIRED U/LA	162.5	
PROPOSED U/LA		

PARKING	REQUIRED	PROPOSED
One (1) parking space per dwelling unit	74	18

One (1) bike space per dwelling unit	74	74
--------------------------------------	----	----

See (B) short-term bike spaces minimum for a building containing more than 20 units	6	6
---	---	---

SUITE SCHEDULE

UNIT TYPE	QUANTITY	AREA (m ²) / UNIT	AREA (sq ft) / UNIT	SUITE NUMBERS
A STUDIO ADPT	50	35.7	383.9	1,2, 105, 106, 108, 107, 1,16, 222, 235, 236, 239, 207, 208, 230, 219, 213, 214, 302, 303, 305, 376, 307, 308, 309, 312, 313, 314, 402, 403, 405, 406, 407, 408, 409, 412, 413, 414, 504, 505, 506, 507, 512, 511, 512, 604, 505, 506, 507, 512, 511, 512
B-1 STUDIO ADPT	3	15.4	166.0	210, 311, 416, 311, 416
C-1 STUDIO ADPT	2	4.7	50.5	
D-1 STUDIO ADPT	2	37.4	401.0	501, 501
E-1 STUDIO ADPT	5	39.5	424.5	111, 111, 411, 509, 111
F-1 STUDIO ADPT	4	78.1	841.1	104, 104, 304, 404
G-1 STUDIO ADPT	4	115.4	1246.1	101, 101, 301, 401
H-1 STUDIO ADPT	2	84.0	904.6	100, 100

DRAWING SCHEDULE

- A 000 COVER SHEET
- A 000B PERSPECTIVES
- A 101 SITE PLAN
- A 200 PARKING PLAN
- A 201 GROUND FLOOR PLAN
- A 202 2ND FLOOR PLAN
- A 203 3RD FLOOR PLAN
- A 204 4TH FLOOR PLAN
- A 205 5TH FLOOR PLAN
- A 206 6TH FLOOR PLAN
- A 207 ROOF LEVEL PLAN
- A 208 ROOF PLAN
- A 300 ELEVATION - SOUTH & WEST
- A 301 ELEVATION - NORTH & EAST
- A 400 SECTIONS
- A 401 SECTIONS
- A 600 FINISH DETAIL

CONTACT INFORMATION

BC HOUSING
VANCOUVER COASTAL & FRASER REGIONS

MANSON LEBUNG
P: 206-909-5110
E: MLEUNG@BCHOUSING.ORG

ARCHITECT
RON HART ARCHITECT LTD
404 - 126 W 6TH AVENUE
VANCOUVER, BC V5Y 1W1

RON HART, PRINCIPAL
P: 778-233-7241
E: RONHART@HART.CA

JAMIE DOGSON, PROJECT LEAD
P: 778-316-5149
E: JAMIEDOGSON@HART.CA

STRUCTURAL ENGINEER
ASPECT ENGINEERING
101 - 180 W 3RD AVE
VANCOUVER, BC V5Y 1E3

TODD WERNHAM
P: 604-324-5812
E: TODDW@ASPECTENGINEERS.COM

MECHANICAL ENGINEER
STRATTON ENGINEERING LTD
300 - 3336 SOUTH FRASER WAY
ABOOTSFOED, BC V2S 2S5

MINE DIXON
P: 778-712-8834
E: MDIXON@STRATTONENG.COM

CIVIL ENGINEER
CORE GROUP CIVIL CONSULTANTS LTD
320 - 8568 FRASER COURT
BURNABY, BC V5J 6H8

SCOTT ROBERTS
P: 604-669-1030
E: SROBERTS@COREGROUPCONSULTANTS.COM

ELECTRICAL ENGINEER
STRATTON ENGINEERING LTD
201 - 3336 SOUTH FRASER WAY
ABOOTSFOED, BC V2S 2S5

MICHAEL SHELLEY
P: 778-699-3158
E: MSHELLEY@STRATTONENG.COM

ENERGY MODEL
STRATTON ENGINEERING LTD
238 - 3336 SOUTH FRASER WAY
ABOOTSFOED, BC V2S 2S5

JOHN BLAXTON
P: 778-712-8838
E: JBLAXTON@STRATTONENG.COM

LANDSCAPE
PROSPECT & REFUGE LANDSCAPE ARCHITECTS
102 - 1681 W 2ND AVENUE
VANCOUVER, BC V6J 1H3

ALYSSA SEMAKOWSKY
P: 604-669-1030
E: ALYSSA@PROSPECTREFUGE.CA

ENVELOPE
INTUITIVE
1280 - 1078 WEST GEORGIA STREET
VANCOUVER, BC V6E 3D9

TIMOTHY LYONG
P: 236-558-2873
E: TIMOTHY@INTUITIVE.COM

TRAFFIC CONSULTANT
CREATIVE TRANSPORTATION SOLUTIONS LTD
1862 KINGSWAY AVENUE
PORT COQUITLAM, BC V3C 1S5

ERICH COOLYER
E: ECOOLYER@CTSBC.COM



CONTACT:
Ron Hart Architecture Ltd. 404-126 West 6 Ave
778-233-7241
ron@hart.ca

COPYRIGHT AND DIMENSIONS:
Copyright © 2024 Ron Hart Architecture. All rights reserved. No part of this drawing may be reproduced without written permission from Ron Hart Architecture. The copyright owner shall not be liable for any errors or omissions in this drawing.

REVISIONS

NO.	DATE	DESCRIPTION
12	2024-10-18	Issued for 25% CD
13	2024-11-27	Issued for 50% CD Review
14	2024-12-12	Issued for DP Prior To
15	2025-01-10	Issued for DP Prior To Rev. 1

PROJECT INFORMATION

PROJECT NUMBER: 2371 Kelly Ave.
PROJECT START DATE: Port Coquitlam BC V3C 1Y3

PROJECT NAME: New View Society 2371 Kelly Ave.

DRAWING TITLE: COVER SHEET

DRAWING NUMBER: A 000

SCALE: NTS
DRAWN BY: GC

DP000597(1)



CONTACT
Ron Hart Architecture Ltd. 486-125 West 5 Ave.
778-233-7241 Vancouver, B.C.
ron@ronhart.ca V5P 1A5

COPYRIGHT AND DIMENSIONS:
CONCEPT OF ARCHITECT. The copyright in the drawings and all
drawings is reserved by the architect. All rights reserved.
All drawings are prepared by the architect and are not to be used, copied, or
reproduced in any form without the written consent of the architect.
The architect shall not be responsible for any errors or omissions
in the drawings.



REVISIONS

ISSUES
12 2024-10-18 Issued for 25%
CD
13 2024-11-27 Issued for 50%
CD Review
14 2024-12-12 Issued for DP
Prior To
15 2025-01-10 Issued for DP
Prior To Rev.1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly
Ave.

DRAWING TITLE
PERSPECTIVES

DRAWING NUMBER
A 000B

SCALE: DRAWN BY:
NTS GC

DP000SA7 (2)




CONTACT:
Ron Hart Architect Ltd. 484-128 West 5 Ave
Vancouver, B.C.
V7Y 1E8
info@rha.ca

COPYRIGHT AND DIMENSIONS:
Copyright © 2025. The copyright in this drawing and its contents is retained, and control is at all times the property of Ron Hart Architect Ltd. and shall not be used, copied, or reproduced in any form without the written consent of Ron Hart Architect Ltd. All dimensions are in metric units unless otherwise specified. Report any errors or omissions to the architect.



2 LOCATION PLAN
Scale: 1:1000



1 SITE PLAN
Scale: 1:200



3 LOT COVERAGE
Scale: 1:500

REVISIONS

DATE	DESCRIPTION	ISSUED FOR
12 2024-10-18	Issued for 25% CD	
13 2024-11-27	Issued for 50% CD Review	
14 2024-12-12	Issued for DP Prior To	
15 2025-01-10	Issued for DP Prior To Rev.1	

PROJECT NUMBER: PROJECT START DATE

PROJECT ADDRESS:
2371 Kelly Ave
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly Ave.

DRAWING TITLE:
SITE PLAN

DRAWING NUMBER:
A 101


SCALE: DRAWN BY:
GC

D8000597(3)



CONTACT:
Ren Hart Architect Ltd. 404-128 West 8 Ave.
778-223-7241 Vancouver, B.C.
ren@renhart.ca VBY-1165

COPYRIGHT AND DISBURSING
Copyright reserved: This drawing is the property of Ren Hart Architecture Ltd. and shall not be used, modified or reproduced without the written consent of the firm. Ren Hart Architecture Ltd. (RHA) warrants that this drawing is a true and accurate representation of the design as shown on the drawings and that it complies with all applicable laws and regulations.



PARKING GARAGE	
PARKING:	18 SPACES (10 CARS & 8 BIKES) (10 CARS)
BIKE PARKING:	74 SPACES TOTAL 50 IN PROGRESS (60%) 24 FUTURE (33%)
SCOOTER PARKING:	40 SPACES
NOTE: ALL APPLICABLE PARKING SPACES SHALL BE AVAILABLE BY 2025. FUTURE PARKING SPACES TO BE DETERMINED BY THE CITY OF VANCOUVER.	

1 PARKING PLAN
Scale: 1:100



REVISIONS

ISSUES	DATE	DESCRIPTION
12	2024-10-18	Issued for 25% CD
13	2024-11-27	Issued for 50% CD Review
14	2024-12-12	Issued for DP Prior To
15	2025-01-10	Issued for DP Prior To Rev.1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS:
2371 Kelly Ave,
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly Ave.

DRAWING TITLE:
PARKING PLAN

DRAWING NUMBER:
A 200

SCALE: 1:100 DRAWN BY: GC

Drawing 200597 (4)




2025-01-10

CONTRACT: Roe Hort Architects Ltd. 400-125 Street 6 Ave. Vancouver, B.C. V5Y 1G6

COPYRIGHT AND DISSEMINATION: Copyright reserved. This drawing is the property of Roe Hort Architects Ltd. and shall not be used, copied, or reproduced in any form without the written consent of Roe Hort Architects Ltd. All rights reserved.

NOTE:
PER 12.2 OF BY-LAW 1616, SPACE ALLOCATION FOR THE STORAGE OF RECYCLING MATERIAL:
4.14 TO 12.12 = 14.00 m² / 150
12.13 TO 14.00 = 7.00 m² / 75
21.00 m² TOTAL AREA REQUIRED FOR RECYCLING STORAGE
24.30 m² PROVIDED FOR RECYCLING AND GARBAGE



1 GROUND FLOOR PLAN
Scale: 1:100

REVISIONS:

ISSUES:
12 2024-10-18 Issued for 25%
CD
13 2024-11-27 Issued for 50%
CD Review
14 2024-12-12 Issued for DP
Prior To
15 2025-01-10 Issued for DP
Prior To Rev.1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS:
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly
Ave.

DRAWING TITLE:
GROUND FLOOR PLAN

DRAWING NUMBER:
A 201


SCALE: 1:100 DRAWN BY: GC

DPO00597 (5)



CONTACT
Ron Hart/Architect L.W. 454-128 West 5 Ave
778-233-7211 Vancouver, B.C.
ron@ronhart.ca V5P 1A6

COPYRIGHT AND DISSEMINATION
COPYRIGHT RESERVED: This project is the property of Ron Hart Architecture Ltd. and shall not be used without the written permission of Ron Hart Architecture Ltd. (2024/05/08). The copyright owner's consent is required for any reproduction of this drawing, in whole or in part, for any purpose other than that for which it was originally prepared.



1 2ND FLOOR PLAN
Scale: 1:100

Revisions:

ISSUES
12 2024-10-18 Issued for 25%
CD
13 2024-11-27 Issued for 50%
CD Review
14 2024-12-12 Issued for DP
Prior To
15 2025-01-10 Issued for DP
Prior To Rev. 1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly
Ave.

DRAWING TITLE:
2ND FLOOR PLAN

DRAWING NUMBER:
A 202

SCALE:
1:100


DRAWN BY:
GC

Drawn 597(6)



CONTACT:
Jon Hart Architecture Ltd. 404-123 West 8 Ave.
718-233-7841 Vancouver, B.C.
jon@jonhart.ca V3P-1A2

COPYRIGHT AND DISCLOSURES
Copyright © 2024 Jon Hart Architecture Ltd. This document is the property of Jon Hart Architecture Ltd. and is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Jon Hart Architecture Ltd. The copyright owner warrants that the information contained herein is true and correct to the best of their knowledge.



1 3RD FLOOR PLAN
Scale: 1:100



REVISIONS:

- ISSUES
- 12 2024-10-18 Issued for 25% CD
 - 13 2024-11-27 Issued for 50% CD Review
 - 14 2024-12-12 Issued for DP Prior To
 - 15 2025-01-10 Issued for DP Prior To Rev.1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3

PROJECT NAME
New View Society 2371 Kelly Ave.

DRAWING TITLE
3RD FLOOR PLAN

DRAWING NUMBER
A 203


SCALE: 1:100 DRAWN BY: GC

DR000597 (7)



CONTACT:
Ron Hart Architect Ltd. 454 123 Street 6 Ave
Vancouver, B.C.
V6T 1A6

COPYRIGHT AND DIMENSIONS:
COPYRIGHT RESERVED. The copyright in this drawing and its contents is reserved, and no part of it may be reproduced without the written consent of Ron Hart Architect Ltd. The copyright owner shall not be responsible for any errors or omissions in this drawing.



REVISIONS:

- ISSUES
- 12 2024-10-18 Issued for 25% CD
 - 13 2024-11-27 Issued for 50% CD Review
 - 14 2024-12-12 Issued for DP Prior To
 - 15 2025-01-10 Issued for DP Prior To Rev.1

PROJECT NUMBER PROJECT START DATE

PROJECT ADDRESS
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3

PROJECT NAME
New View Society 2371 Kelly Ave.

DRAWING TITLE
4TH FLOOR PLAN

DRAWING NUMBER
A 204

SCALE: 1:100 DRAWING BY: GC

1 4TH FLOOR PLAN
Scale: 1:100



DR000597 (8)


COPYRIGHT AND DIMENSIONS

COPYRIGHTS RESERVED. The material in this drawing and its contents is reserved, and remains the property of the Institute of Design.

© 1999 Hafeez Architects Ltd., and shall not be used, modified, or reproduced without the expressed written consent of Hafeez Architects Ltd. DIMENSIONS: The dimensions shall vary of drawings, and immediately report any errors, neither alterations do not exist drawings.

ISSUES	
12	2024-10-18 Issued for 25% CD
13	2024-11-27 Issued for 50% CD Review
14	2024-12-12 Issued for DP Prior To
15	2025-01-10 Issued for DP Prior To Rev.1

SCALE: 1:100
DRAWN BY: GC




25



CONTRACT
Ron Hart Architect Ltd. 456-123 West 5 Ave
Vancouver, B.C.
V2T 1G3

COPYRIGHT AND DISPOSITION
Copyright Reserved. This project is the property of Ron Hart Architecture and is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Ron Hart Architecture. The reproduction of this drawing for any other purpose is strictly prohibited. Do not scale drawings.



1 6TH FLOOR PLAN
Scale: 1:100



REVISIONS:

REVISION	DATE	DESCRIPTION
12	2024-10-18	Issued for 25% CD
13	2024-11-27	Issued for 50% CD Review
14	2024-12-12	Issued for DP Prior To
15	2026-01-10	Issued for DP Prior To Rev.1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS:
2371 Kelly Ave
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly Ave.

DRAWING TITLE:
6TH FLOOR PLAN

DRAWING NUMBER:
A 206


SCALE: 1:100 DRAWN BY: GC

D2000597(10)



CONTACT
Ron Hen Architecture Ltd. 404-120 West 5 Ave
778-225-2241 Vancouver, B.C.
ron@ronhen.ca VST 168

COPYRIGHT AND DIMENSIONS:
COPYRIGHT © 2025, the design is the property and the
drawing is the property of Ron Hen Architecture Ltd.
All rights reserved. No part of this drawing may be
reproduced or transmitted in any form or by any
means, electronic or mechanical, including
photocopying, recording, or by any information
storage and retrieval system, without the written
permission of Ron Hen Architecture Ltd.



1 ROOF LEVEL PLAN
Scale: 1:100



REVISIONS

ISSUE	DATE	DESCRIPTION
12	2024-10-18	Issued for 25% CD
13	2024-11-27	Issued for 50% CD Review
14	2024-12-12	Issued for DP Prior To
15	2025-01-10	Issued for DP Prior To Rev. 1

PROJECT NUMBER PROJECT START DATE

PROJECT ADDRESS
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3

PROJECT NAME
New View Society 2371 Kelly Ave.

DRAWING TITLE
ROOF LEVEL PLAN

DRAWING NUMBER
A 207

SCALE: 1:100 DRAWN BY: GC

Draco57(11)

COPYRIGHT AND DIMENSIONS: The copyright in this drawing and its contents is reserved, and remains at all times the exclusive property of Plan View Apparel Ltd., and shall not be used, modified, or reproduced without the expressed written consent of Plan View Apparel Ltd. | D015100000. The generator shall notify all infringements, and immediately report any future similar violations to the ACP trade association.

ISSUES	
12	2024-10-18 Issued for 25% CD
13	2024-11-27 Issued for 50% CD Review
14	2024-12-12 Issued for DP Prior To
15	2025-01-10 Issued for DP Prior To Rev.1

SCALE:	DRAWN BY:
1:100	GC




1800597 (12)



CONTACT:
Ben Hart Architects Ltd. 424-128 West 6 Ave
778.232.7341 Vancouver, B.C.
info@benhart.ca

COPYRIGHT AND DIMENSIONS:
Copyright © 2024 Ben Hart Architects Ltd. All rights reserved. The drawings and designs are the property of Ben Hart Architects Ltd. and shall remain the property of Ben Hart Architects Ltd. No part of these drawings or designs may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Ben Hart Architects Ltd.

- ELEVATION LEGEND**
1. HATCHES/SHADE
STRAIGHT EDGE
FINE CONCRETE BLOCKS WHITE
 2. HATCHES/SHADE
STRAIGHT EDGE
FINE CONCRETE BLOCKS (CONCRETE BLOCKS)
 3. HATCHES/SHADE
STRAIGHT EDGE
FINE CONCRETE BLOCKS (CONCRETE BLOCKS)
 4. HATCHES/SHADE
STRAIGHT EDGE
FINE CONCRETE BLOCKS (CONCRETE BLOCKS)
 5. ARCHITECTURAL CONCRETE
FINISH
 6. STEEL FRAMED GLASS PANELS
TO MATCH WINDOW FRAMES
 7. PAINTED STEEL DARK BROWN
TO MATCH WINDOW FRAMES
 8. STEEL CHIMNEY TO MATCH
TO MATCH WINDOW FRAMES
 9. LIGHT SCENES
 10. VINYL WINDOWS AND DOORS
DARK BROWN
 11. ALUMINUM WINDOWS AND
DOORS DARK BROWN
 12. SOFT LUX WALL SYSTEM ON
BULKHEAD WOODGRAIN FINISH
 13. SOFT LUX WALL SYSTEM ON
BULKHEAD WOODGRAIN FINISH
 14. METAL FRAMED GLASS
TO MATCH WINDOW FRAMES
 15. CONCRETE BLOCK PAINT
FINISH



REVISIONS:

ISSUED:
12 2024-10-18 Issued for 25%
CD
13 2024-11-27 Issued for 50%
CD Review
14 2024-12-12 Issued for DP
Prior To
15 2025-01-10 Issued for DP
Prior To Rev. 1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS:
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly
Ave.

DRAWING TITLE:
ELEVATIONS - SOUTH & WEST


DRAWING NUMBER:
A 300

SCALE: 1:100 GRAPHIC SCALE: GC

1 SOUTH ELEVATION
Scale: 1:100

2 WEST ELEVATION
Scale: 1:100


D8000597(13)



CONTACT:
Ron Hart Architects Ltd. 404-125 West 8 Ave.
778.332.7411 Vancouver, B.C.
ronhart@ronhart.com

COPYRIGHT AND DISSEMINATION:
Copyright reserved. No part of this drawing may be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission from Ron Hart Architects Ltd.

- ELEVATION LEGEND**
1. HATCHES/INSET: STRAIGHT EDGE, FINE, COARSE, BOLD, DOUBLE, THICK
 2. HATCHES/INSET: STRAIGHT EDGE, FINE, COARSE, BOLD, DOUBLE, THICK
 3. HATCHES/INSET: STRAIGHT EDGE, FINE, COARSE, BOLD, DOUBLE, THICK
 4. HATCHES/INSET: STRAIGHT EDGE, FINE, COARSE, BOLD, DOUBLE, THICK
 5. ARCHITECTURAL CONCRETE: FINE
 6. STEEL FRAMED GLASS PANELS: TO MATCH WINDOW FRAMES
 7. PAINTED STEEL: DARK BROWN TO MATCH WINDOW FRAMES
 8. STEEL: CHERRY (3.0 WINDOW)
 9. LIGHT SCENES
 10. VINYL WINDOWS AND DOORS: DARK BROWN
 11. ALUMINUM WINDOWS AND DOORS: DARK BROWN
 12. CORTEX GLASS PANEL SYSTEM (SILVER - WOODGRAIN FINISH)
 13. SCOTCH (VINYL - WHITE)
 14. METAL: WHITE, OILY, FLUORID
 15. CONCRETE: BLOCK, PRINT, LINE



REVISIONS:

ISSUES:
12 2024-10-18 Issued for 25% CD
13 2024-11-27 Issued for 50% CD Review
14 2024-12-12 Issued for DP Prior To
15 2025-01-10 Issued for DP Prior To Rev. 1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS:
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly Ave.

DRAWING TITLE:
ELEVATIONS - NORTH & EAST

DRAWING NUMBER:
A 301

SCALE: 1:100 DRAWN BY: GC

1 NORTH ELEVATION
Scale: 1:100

2 EAST ELEVATION
Scale: 1:100

DR000597 (14)



CONTACT:
Ron Hart Architects Ltd. 454-128 West 6 Ave
778 333 7341
ron@ronhart.ca

COPYRIGHT AND DIMENSIONS:
COPYRIGHT RESERVED: The copyright in this drawing and its contents is reserved and remains the property of Ron Hart Architects Ltd. Any and all use without written consent of Ron Hart Architects Ltd. is prohibited. All rights are reserved. No part of this drawing may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from Ron Hart Architects Ltd.

REVISIONS

ISSUES	DATE	ISSUED FOR
12	2024-10-18	Issued for 25% CD
13	2024-11-27	Issued for 50% CD Review
14	2024-12-12	Issued for DP Prior To
15	2025-01-10	Issued for DP Prior To Rev.1

PROJECT NUMBER: PROJECT START DATE:

PROJECT ADDRESS:
2371 Kelly Ave,
Port Coquitlam BC V3C 1Y3

PROJECT NAME:
New View Society 2371 Kelly Ave.

DRAWING TITLE:
SECTIONS


DRAWING NUMBER

A 400


SCALE:
1:100

DRAWN BY:
GC

1 N-S SECTION A
Scale: 1:100



2 E-W SECTION A
Scale: 1:100



Doc 597 (15)



COPYRIGHT AND DIMENSIONS.
COPYRIGHT RESERVED. The copyright in this journal and contents is reserved, and extension of all third party published playfully
of Van PESTANDELL L.B. and SHOTNESS L.B., modified or
reproduced without the expressed written consent of Van PESTANDELL L.B. | CANTHACOD. The reproduction shall carry all
permissions, and intellectual property rights, except those of the
D.B. not be made otherwise.



PROJECT NUMBER: PROJECT START DATE:

DRAWING TITLE:
SECTIONS

DRAWING NUMBER:

A 401


SCALE:	DRAWN BY:
1:100	GC



DP000597 (16)

CONTACT:
Ron Hart Architect Ltd.
778.233.7241
ron@ronhart.ca
404-128 West 6 Ave
Vancouver, B.C.
V5Y 1K6

COPYRIGHT AND DIMENSIONS:
COPYRIGHT RESERVED. The copyright in this drawing and its contents is reserved, and remains at all times the sole property of Ron Hart Architect Ltd. No part of this drawing may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Ron Hart Architect Ltd. CONSULTANTS:
The contractor shall verify all dimensions, and immediately report any errors and/or omissions. Do not scale drawings.



PROJECT No: START DATE:

PROJECT ADDRESS:
2371 Kelly Ave.
Port Coquitlam BC V3C 1Y3


PROJECT NAME:
New View Society 2371 Kelly Ave.

DRAWING TITLE:
PLANTER DETAIL

DRAWING NUMBER:
A 600

SCALE: 1:10 DRAWN BY: ND

Dood Sit (17)



LANDSCAPE TREE NOTES

1. All landscape construction activities have a high potential for causing damage to trees, roots and soil. The Landscape Contractor shall coordinate with the project Architect prior to the start of landscape operations to avoid tree protection non-compliance and bylaw issues.
2. Install temporary tree protection fencing as per arborist report or tree protection plan, stabilize the fencing during construction. No storage of materials or equipment, or any other activities are allowed within the protection zone during construction.
3. Removal of the tree barriers requires advance coordination and approval by the project arborist.

LEGEND

- Property Line
- Tree protection fence
- Existing Tree TO BE RETAINED
- Existing Tree TO BE REMOVED
Confirm that trees are free of nesting birds prior to removal or wait until the later nesting season is over.

NOTE: The tree protection barriers must be built and inspected before the building permits can be issued. Please call the building inspector at least monthly and request a tree barrier inspection at least 48 hours in advance of the building permit.

2024-12-12	Issue for DP Prior To
2024-11-21	Issue for 50%
2024-10-16	Coordination
2024-09-13	Issue for DP
Date	Issue Notes



Prospect & Refuge
LANDSCAPE ARCHITECTS
4014-4015 1st Ave West, Suite 100, Vancouver, BC V6P 1Y3
604-688-1002 | info@prospect-and-refuge.ca
Member of over 25 years of industry and professional leaders.

Project Title and Location
New View Society
2371 Kelly Ave Port Coquitlam BC V3C 1Y3


Particulars Survey
traditional, ancestral and unceded territory of the xwkwakaam (Kwakwaka'wakw) First Nation

Sheet Title
Tree Management Plan

Project No.	Sheet	as noted
2023-34		
Project Manager	Drawn by	
SHW		L1.0
Reviewed by		
SHW		

1 Tree Management Plan
Scale: 1:100

DPO005 597 (18)



LANDSCAPE PLANTING NOTES

1. All planting materials and execution shall conform to the current edition of the Canadian Landscape Standard (CLS) as a minimum acceptable standard.
2. Plant material shall be sourced from Washington State and BC.
3. Landscape Contractor shall submit a soil report for each soil type specified on site (including all imported soil and existing soil) to the Landscape Consultant for review and approval prior to soil delivery to site. Soil report shall be dated no more than one month before installation. Soil report shall include CLS measures of soil quality per specified soil type and recommendations for remediation.
4. Landscape Contractor shall submit approval letter per instruction of soil report. Provide documentation of fertilizer and lime applications and rates during the installation and maintenance periods.
5. The prepared sub-grade shall be approved by the Landscape Consultant prior to application of top soil mixture and final grading. Compacted subgrade shall be a minimum depth of 8" (150mm) immediately before placing growing medium.
6. The Landscape Contractor shall report discrepancies between plant quantities in the plant list and plan to the Landscape Consultant prior to delivery of plant material. Where there is a discrepancy the plan shall supersede the list.
7. All plant material, soil and seeds shall be approved by the Landscape Consultant prior to delivery on site. The Landscape Contractor shall provide photographs with scale reference for trees and installed information for container stock to the Landscape Consultant prior to the Landscape Consultant receiving a final inspection. The Landscape Contractor shall provide cuttings or samples of soil and seeds for approval. Plant material, soil and seeds related on site shall be retained by the Landscape Contractor at no cost to the Owner.
8. Plant material, soil and seed substitutions shall not be made without the written approval of the Landscape Consultant.
9. All plant material (including root balls) shall be free of parasites, weeds, soil, disease, infection and infestation. Plant material shall be supplied by nurseries who are certified by the Clean Plants Program, Canadian Nursery Certification Institute (CNCI), current certification standard (2019/2020). Non-conforming plant material provided by the Landscape Contractor shall be removed, disposed of and replaced at the Landscape Contractor's expense.
10. If obstructions or other conditions detrimental to healthy plant growth are encountered, the Landscape Contractor shall notify the Landscape Consultant and request additional instructions.
11. The exact location of trees shall be determined on site and field as required. The Landscape Consultant shall approve the final location of trees prior to planting.
12. Plants shall not be planted prior to delivery unless otherwise noted by the Landscape Consultant.
13. Install composted organic mulch to CLS standard on all shrub beds after planting and tree mounds. Follow CLS standards for depth and maintenance.
14. The Landscape Contractor shall provide level 1 maintenance per CLS standard for landscape type and a guarantee for all plant material for 1 year after the date of installation. Plants installed prior to June (between Jan 1 and June 1) shall be under extended warranty until June 1 of the following year.
15. Offsite planting shall have landscape approval (municipal or otherwise) prior to installation. Size, species, installation method and location require landscape approval at the time of installation. Offsite plant material and installation shall conform to all Municipal requirements.
16. All landscaping shall have a high efficiency irrigation system to RABC standards. Unless otherwise specified, the irrigation system shall be designed by the Irrigation Contractor. The Irrigation Contractor shall provide shop drawings for Landscape Consultant approval.

PROPOSED STREET TREES

Street tree criteria:

- o Correct species
- o 2.5 metres height or greater
- o free of pest and disease
- o free of injury, or other defects
- o free of pruning roots
- o straight upright planting
- o of good health and vigor
- o stem base free of twists or binding
- o plastic tree trunk guards (grass boulevard only)
- o mulch (grass boulevard only)
- o one year after planting, any installed tree stakes must be removed

If a planting does not meet these criteria the plant must be corrected or replaced. Plantings are to be maintained in good health and vigor for one year following planting.

Please ensure the Landscape Contractor is aware of the following:

Planting in a grass boulevard:

- o A wide hole is dug (2-3 times the width of the root ball whenever possible) with sides gradually sloping down to the root ball depth.
- o The sides of the hole are scarified.
- o Native soil is used for backfilling (unless specified otherwise).
- o Install trunk guards in place for protection from string trimmers and landscape maintenance.
- o Wood chips or mulch be applied immediately around the tree.
- o Mulch and soil must not be in contact with the tree stem.
- o Remove the top 1/3 of the wire basket, tarp, and all nylon and binding material. Cut the basket or tarp. Do not fold into hole.
- o Root barriers must be installed along edge of hardscape
- o Water tree immediately after planting.

9.3.3.3 CLEARANCES

Table 9-3 lists the preferred minimum clearance (measured from outer edge of infrastructure) of trees from:

Infrastructure	Minimum Clearance
Landscape Standards	1.5m - 4.5m
Electrical / Communications / Trolley Poles	1.5m
Driveways / Crossings	1.8m
Signalized Intersection from stop bar	6.0m
Or from traffic signal pole	1.5m
Fire Hydrants	2.0m
Water Meters	2.0m
Service Connections	2.0m
Catchbasins / Valve Boxes	1.5m
Corner Clearances (From Extended Property Line)	3m
Stop Signs	6m
Parking Meters	Clear of Tree Pit / Surround
Buildings (Overhanging Trees)	3m
Buildings (Columnar Trees)	2m

Trees shall not be planted in the following locations:

- o Over building encroachments under the sidewalk (areaways).
- o Under canopies or overhead signs.

2024-10-12	Issue for DP Prior To
2024-11-21	Issue for 50%
2024-10-16	Coordination
2024-09-13	Issue for 10%
2024-06-07	Initial Concept for Review
Date	Issue Notes



Prospect & Refuge

LANDSCAPE ARCHITECTS
100-1000 1st Avenue West, Suite 100
V6C 1A1
Working in and 25 years of history in Vancouver, BC

Project Name: New View Society
2371 Kelly Ave Port Coquitlam BC V3C 1Y3

Project History: traditional, ancestral and unceded territory of the ɪm-wíxwíam (Duwamish First Nation)

Client: Landscape Offsite Plan

Project No: 2023-24 Date: as noted

Project Manager: SHW Date: L1.1

Drawn by: SHW


Df000597 (19)



Low maintenance sideyard planting



Planting beds with rounded edges



1 Landscape Materials and Layout Plan
Scale: 1:100



Round bench




Example of decorative paving motif



Paving motif to include imagery of an Iris flower

DATE	ISSUE
2024-12-12	Issue for DP Prior To
2024-11-21	Issue for 50%
2024-10-16	Coordination
2024-09-13	Issue for DP
2024-06-07	Initial Concept for Review
2024-05-10	Issue Notes



Prospect & Refuge
LANDSCAPE ARCHITECTS
2371 Kelly Ave. Suite 100
Vancouver, BC V6K 3Y3
Belling on over 25 years of history as a landscape design firm.

New View Society
2371 Kelly Ave. Suite 100
Vancouver, BC V6K 3Y3

Project: New View Society
Client: New View Society
Project Manager: SHW
Design: SHW

Project No: 2023-24
Scale: as noted

Project Title: Landscape Materials Plan - Level 1

Project No: 2023-24
Scale: as noted

Project Title: Landscape Materials Plan - Level 1

Project No: 2023-24
Scale: as noted

Project Title: Landscape Materials Plan - Level 1

D800597 (20)



Metal Planter and Green Roof




Privacy planting at private patio



Round Bench with fire table




Rounded planter shapes



1 Landscape Materials Plan - Level 2
Scale: 1:50

LEGEND		DETAIL
	Property Line	
HARDSCAPE MATERIALS:		
	Hydropressed Blab Pavers	
	Hydropressed Blab Pavers	
SOFTSCAPE MATERIALS:		
	Extensive Green Roof	
	Metal Planter	
LINE & SYMBOLS		
	Building roof overhang	
	Bench	
	Adirondack Chair	
	Community Garden Plaster	
	Maglin Foro Wooden Bistro Table and Bistro Chairs	
	Irrigation Stub Out	
	Hardside	



Metal lattice system for vines to grow up building face



Maglin Foro round wood top bistro tables

LANDSCAPE GENERAL NOTES

1. All Landscape material and execution shall conform to the Canadian Landscape Standards: All applicable and related codes, bylaws and specifications, and the following recommendations.
2. Do not construct these drawings unless marked "Issued For Construction".
3. The Landscape Contractor shall submit all questions, requests, inquiries and requests pertaining to these drawings or their execution in writing to the Landscape Consultant.
4. Existing conditions plans were prepared by others and actual conditions may vary from these plans. The Landscape Contractor shall conduct a site visit to review existing conditions and report all discrepancies between the plans and actual site to the Landscape Consultant prior to construction. The Landscape Contractor shall assume responsibility for actual site conditions (including subsurface).
5. The Landscape Contractor shall conduct a site visit and confirm to determine the extent of work required (including but not limited to demolition, preparation and removals). Landscape Consultant shall report any discrepancies between the required and proposed work, to the Landscape Architect prior to construction.
6. The Landscape Contractor shall verify all needed and omitted dimensions in the contract drawings and on site prior to construction. The Landscape Contractor shall report any discrepancies or omissions to the Landscape Consultant.
7. Provide positive grades away from buildings and lower than drains and catch basins. Slope away from building at a minimum of 2%.
8. All landscaping shall have a high efficiency irrigation system to SABS standards. Unless otherwise specified, the irrigation system shall be designed by the Irrigation Consultant. The Irrigation Consultant shall provide shop drawings for Landscape Consultant approval.
9. All substitutions shall be approved by the Landscape Consultant.
10. The Landscape Contractor shall report any damage resulting from work on site.
11. The Landscape Contractor shall provide 1 year of OLS level 1 maintenance (including watering) after the date of substantial completion.
12. All walls 2' or taller, all plants, all concrete footings and all other shall be designed by structural engineer. All walls shall be inspected and approved by geotechnical and structural engineer. Ensure positive drainage behind all walls.

2024-12-12	Issue for DP Prior To
2024-11-21	Issue for 80%
2024-10-16	Coordination
2024-09-13	Issue for DP
2024-08-07	Initial Concept for Review
Date	Issue Notes



Prospect & Refuge

LANDSCAPE ARCHITECTS
2371 Kelly Ave Port Coquitlam BC V3C 1Y3
604-699-1003
prospectandrefuge.ca

Project Title and Address:
New View Society
2371 Kelly Ave Port Coquitlam BC V3C 1Y3
Traditional, ancestral and unceded territory of the k'm'x'm'ilm (Musqueam First Nation)

Project Title and Address: Landscape Materials Plan - Level 2	
Project No. 2023-34	Sheet No. L2.1
Project Designer SHW	Drawn By SHW
Approved By SHW	As noted

Drawn by (21)



Extensive Green Roof

LEGEND	
	Property Line
HARDSCAPE MATERIALS:	
	Hydropressed Blab Pavers
SOFTSCAPE MATERIALS:	
	Extensive Green Roof
LINES & SYMBOLS	
	Irrigation Stub Out
	Hosebib
	Building envelope

DETAIL
1 L&T
2 L&T

LANDSCAPE GENERAL NOTES

1. All Landscape material and execution shall conform to the Canadian Landscape Standards; all applicable and noted codes, bylaws and specifications; and the safety requirements.
2. Do not construct from these drawings unless marked "Revised For Construction".
3. The Landscape Contractor shall submit all questions, reports, inquiries and requests pertaining to these drawings or their execution in writing to the Landscape Consultant.
4. Existing condition plans were prepared by others and actual conditions may vary from those shown. The Landscape Contractor shall conduct a site visit to review existing conditions and report all discrepancies between the plans and actual site to the Landscape Consultant prior to construction. The Landscape Contractor shall assume responsibility for actual site conditions (including subsurface).
5. The Landscape Contractor shall conduct a site visit and review to determine the extent of work required (including but not limited to demolition, preparation and removals). Landscape Contractor shall report any discrepancies between the proposed and existing work, to the Landscape Architect prior to construction.
6. The Landscape Contractor shall verify all noted and written dimensions in the contract drawings and on site prior to construction. The Landscape Contractor shall report any discrepancies or inconsistencies to the Landscape Architect.
7. Provide positive grades away from buildings and toward lawn areas and match levels. Slope away from building at a minimum of 2%.
8. All landscaping shall have a high efficiency irrigation system to SBC standards. Unless otherwise specified, the irrigation system shall be designed by the Irrigation Contractor. The Irrigation Contractor shall provide shop drawings for Landscape Consultant approval.
9. All substitutions shall be approved by the Landscape Consultant.
10. The Landscape Contractor shall repair any damage resulting from work on site.
11. The Landscape Contractor shall provide 1 year of OLS level 1 maintenance (including watering) after the date of substantial completion.
12. All walls 7' or taller, all gates, all concrete footings and all new shall be designed by structural engineer. All walls shall be inspected and approved by geotechnical and structural engineer. Ensure positive drainage behind all walls.

2024-12-12	Issue for DP Prior To
2024-11-21	Issue for 50%
2024-10-16	Coordination
2024-09-13	Issue for DP
2024-05-07	Initial Concept for Review
Date	Issue Notes



Prospect & Refuge
 LANDSCAPE ARCHITECTS
 110-1100 1st Avenue SW, Suite 100
 604-446-1903 hydroprospectandrefuge.ca
 Working on over 25 years of history in British Columbia.


Project Name:
New View Society
 2371 Kelly Ave. Port Coquitlam BC V3C 1Y3

Project Title:
Landscape Materials Plan - Level 5

Project No.	Sheet
2023-34	as noted
Project Manager	Sheet No.
SHW	L2.2
Reviewed By	
SHW	

1 Landscape Materials Plan - Level 5
 Scale: 1:96

DR000597(22)



LANDSCAPE PLANTING NOTES

1. All planting materials and erection shall conform to the current edition of the Canadian Landscape Standard (CLS) as a minimum acceptable standard.
2. Plant material shall be sourced from Washington State and BC.
3. Landscape Contractor shall submit a soil report for each site type specified on site (including all imported soil and existing soil) prior to installation. The report shall be dated no more than 180 days before installation. The report shall include CLS measures of soil quality per specified soil type and recommendations for amendment.
4. Landscape Contractor shall amend approved soils per instruction of soil report. Provide documentation of fertilizer and lime applications and rates during the installation and maintenance periods.
5. The prepared sub-grade shall be approved by the Consultant prior to application of top soil and seeding and grading. Compacted subgrade shall be specified to a minimum depth of 150mm immediately before planting growing medium.
6. The Landscape Contractor shall report discrepancies between plant quantities in the plant list and plan to the Landscape Consultant prior to installing plant material. Where there is a discrepancy the plan shall expedite the list.
7. All plant material, soil and seeds shall be approved by the Landscape Consultant prior to delivery on site. The Landscape Contractor shall provide photographs with scale reference for trees and location information for container stock to the Landscape Consultant prior to the Landscape Consultant scheduling a field inspection. The Landscape Contractor shall provide evidence or samples of soil and seeds for approval. Plant material and seeds specified on any shall be replaced by the Landscape Contractor at no cost to the Owner.
8. Plant material, soil and seed substitutions shall not be made without the written approval of the Landscape Consultant.
9. All plant material (including root balls) shall be free of pest/disease, weed, soil, disease, infestation and infection. Plant material shall be supplied by nurseries who are certified by the Clean Plants Program, Canadian Nursery Certification Institute (CNCI), current certification standard.
10. All plant material shall be non-invasive and shall be provided by the Landscape Contractor at no cost to the Owner.
11. The exact location of trees shall be determined on site and field notes required. The Landscape Consultant shall approve the final location of trees prior to planting.
12. Trees shall not be planted prior to delivery unless otherwise noted by the Landscape Consultant.
13. Install composted organic mulch in CLS standard on all shrub beds after planting and new smooth. Follow CLS standards for depth and installation.
14. The Landscape Contractor shall provide level 1 maintenance per CLS standard for landscape type and a guarantee for plant material, for 1 year after the date of substantial completion. Plants installed prior to July (Between Jan 1 and June 1) shall be under automatic warranty until June 1 of the following year.
15. Official planting shall have landscape approval (provided or otherwise) prior to installation. Site, species, installation method and location requires landscape approval at the time of installation. Official plant material and installation shall conform to all Municipal requirements.
16. All landscaping shall have a high efficiency irrigation system to IADC standards, unless otherwise specified. The irrigation system shall be designed by the Irrigation Contractor. The Irrigation Contractor shall provide shop drawings for Landscape Consultant approval.

2024-12-12
2024-11-21
2024-10-15
2024-09-13
2024-08-07

Issue for DP Prior To
Issue for 50%
Continuation
Issue for DP
Initial Concept for Review

Date
Issue Notes

Prospect & Refuge

LANDSCAPE ARCHITECTS

2371 Kelly Ave. Port Courtenay BC V9C 1Y3

Phone: 250-855-1234
Fax: 250-855-1235
Email: info@prospectandrefuge.ca

Project Title and Address
New View Society
2371 Kelly Ave. Port Courtenay BC V9C 1Y3

Project Name
Planting Plan - Level 1

Project No.
2023-34

Project Manager
SRW

Project Designer
SRW

Project Date
2023-34



Project Status
as noted

Project Scale
L3.0

DR000597(23)


[illegible]

DPO00597 (24)




Project Title and Address		
New View Society		
2371 Kelly Ave Port Couillard, QC V9C 1Y3		
Project Features Summary		
Traditional, ancestral and unceded territory of the <i>kwakwaka'wakw</i> (Coastal Salish Nation)		
Project Type		
Landscape Details - Planting		
Project Size	Area	
2923.34		ac notred
Project Materials	Ground Use	
ShrW		
Submitted By		L4.0

NOTES:
Adjust layout as needed to maximize whole pavers and minimize cutting.




NOTES:
Adjust layout as needed to maximize whole pavers and minimize cutting.




1 Concrete Unit Pavers

Scale: 1:25




NOTE:
1. Submit product information, tile sample, and colour samples of all colour options to Landscape Consultant for approval prior to ordering.
2. Tile to be rated for exterior commercial use and have an anti-slip rating of R11.
3. Refer to detail drawing for approximate design. Final colour, pattern and design to be confirmed by Landscape Consultant and Landmark prior to construction.



3 Mosaic Tiles Feature Paving

Scale: 1:25


NOTE:
Use light weight voiding to fill all sufficient depth.
Note any potential groundwater infiltrability issues to the Landscape Architect.



5 CIP Concrete Planter


Scale: 1:25

NOTE:
1. Refer to Gravel Medium area slab detail for more information regarding match and grading medium.
2. Do not assume or create planter, final top of match level to be approximately level at 1\"/>



6 Metal Planter

Scale: 1:25



Light weight soil mix, provide soil analysis for approval, see myx 4243 four slash on 54\"/>

7 Community Garden Plots


Scale: 1:25

2024-12-12	Issue for DP Prior To
2024-11-21	Issue for 50% Coordination
2024-10-16	Issue for DP
2024-09-13	Issue for DP
2024-12-12	Issue Notes
Prospect & Refuge LANDSCAPE ARCHITECTS 2371 Kelly Ave Port Coquitlam BC V3C 1Y3 604-696-1023 info@prospectandrefuge.ca Building on over 25 years of history as prospectandrefuge Ltd.	
Project File path: Now View Society 2371 Kelly Ave Port Coquitlam BC V3C 1Y3 Project location: Traditional, ancestral and unceded territory of the Kwikwaka'wakw (Kwakwaka'wakw First Nation) About the Landscape Details - Surfaces and Structures	
Project No. 2023-34	Issue as noted
Project Manager SHW	Drawn by SHW
Reviewed by SHW	L4.1

DR000597 (26)




1 **Bistro Table**
Scale: NTS



2 **Bistro Chairs**
Scale: NTS



3 **Bench**
Scale: NTS



4 **Bike Rack**
Scale: NTS

2024-12-12	Issue for DP Prior To
2024-11-21	Issue for 50%
2024-10-18	Coordination
2024-09-13	Issue for DP
Date	Issue Notice
Prospect & Refuge LANDSCAPE ARCHITECTS 2371 Kelly Ave Port Coquille BC V5C 1Y3 504-489-1063 PROGRESSORANGE.COM Working on over 30 years of history in landscape design.	
Project Title and Address: New View Society 2371 Kelly Ave Port Coquille BC V5C 1Y3	
Project Location: Traditional, historical and unceded territory of the Kwikwaka'nam (Cowichan Tribes) Nation	
Sheet Title: Landscape Cut Sheets 1	
Project No.	Sheet No.
2023-24	as noted
Project Designer	Sheet No.
SHW	L4.2
Reviewed By	
SHW	


DPO00597(27)

THE PRESTIGE PRO™ SERIES FOR THE ULTIMATE GRILLING EXPERIENCE



SPECIFICATIONS

WARRANTY	Lifetime Bumper to Bumper*
FUEL TYPE	Natural Gas
HEAT OUTPUT	80,000 BTU (23.76 kW)
MAIN COOKING AREA	28 x 17.75 in (71 x 45 cm) 31 burgers
TOTAL COOKING AREA	500 sq. in (5,770 cm²)
ROTISERIE INCLUDES	Yes
SIDE BURNER	Infrared SIZZLE ZONE™ Side Burner
HEIGHT	51.75 in (132 cm) 56.75 in (144 cm) with lid open
WIDTH	66.50 in (169 cm)
DEPTH	25.59 in (64 cm)
PACKAGING HEIGHT	32 in (81.28 cm)
PACKAGING WIDTH	31 in (78.74 cm)
PACKAGING DEPTH	41 in (104.14 cm)
PACKAGING WEIGHT	254 lbs. (115.15 kg)



1 BBQ Scale: NTS



1.8m ht. Aluminum Privacy Fence with wood grain style powder coating
Sleek Fence or approved equivalent
wood grain colour TBD
w: sleekfence.com

3 Aluminum Privacy Fence Scale: NTS



Dreamcast Aura 36 Fire Table
Finish/Colour TBD
w: dreamcastdesign.com
c: 604 332 4930

4 Fire Table Scale: NTS

4 slat adirondack

Chair Dimensions
width: 28.5" (72.6 cm)
depth: 17.5" (44.3 cm)
height: 15.5" (39.3 cm)
armrest height: 17.5" (44.3 cm)

Chair Dimensions
width: 28.5" (72.6 cm)
depth: 17.5" (44.3 cm)
height: 15.5" (39.3 cm)
armrest height: 17.5" (44.3 cm)

Chair Dimensions
width: 28.5" (72.6 cm)
depth: 17.5" (44.3 cm)
height: 15.5" (39.3 cm)
armrest height: 17.5" (44.3 cm)

2 Adirondack Chairs Scale: NTS

tierraLITE Lightweight Growing Media

Product Description

tierraLITE is a lightweight growing media designed for use in containers, raised beds, and vertical gardens. It is made from a blend of natural materials and is designed to provide excellent drainage and aeration for plants. The media is available in various sizes and quantities to suit different needs.

Product Features

- Lightweight and easy to handle
- Provides excellent drainage and aeration for plants
- Made from natural materials, safe for plants and the environment
- Available in various sizes and quantities
- Suitable for use in containers, raised beds, and vertical gardens

Product Guidelines

- Use in containers, raised beds, and vertical gardens
- Avoid use in areas where it may come into contact with water
- Do not use in areas where it may come into contact with fire
- Do not use in areas where it may come into contact with children or pets

Installation Tips and Recommendations

- Use a layer of tierraLITE at the bottom of the container or bed
- Add a layer of soil on top of the tierraLITE
- Plant your seedlings in the soil
- Water your plants regularly

Light Weight Growing Medium

tierraLITE is a lightweight growing media designed for use in containers, raised beds, and vertical gardens. It is made from a blend of natural materials and is designed to provide excellent drainage and aeration for plants. The media is available in various sizes and quantities to suit different needs.

5 Light Weight Growing Medium Scale: NTS

2024-12-12 Issue for DP Prior To

2024-11-21 Issue for 50%

2024-10-16 Coordination

2024-09-13 Issue for DP

Date

Issue Notes

Prospect & Refuge

LANDSCAPE ARCHITECTS

2371 Kelly Ave, Port Coquitlam BC V3C 1Y3

Project Title and Location

New View Society

2371 Kelly Ave, Port Coquitlam BC V3C 1Y3

Project Name

Badenhorst, a residential and unincorporated territory of the Inuit Nation

Project Title

Landscape Cut Sheets 2

Project No.

2023-04

Scale

as noted

Project Designer

SHW

Project No.

SHW

L4.3

DR000597(28)

Schedule A

Energy Conservation:

Conservation Measure	Verification Method
Energy Star rated appliances to be used	BP stage; written confirmation by Architect along with staff review of BP submission
Step 4 of the Energy Step Code	DP and BP stage; staff review of BP submission
Window placement to provide opportunities for natural light and ventilation	DP and BP stage; staff review of building plans
High Efficiency (COP) mechanical systems with heat recovery	DP and BP stage; staff review of BP submission

Water conservation:

Conservation Measure	Verification Method
High efficiency landscape irrigation system with rain sensors is to be installed	DP and BP stage; staff review of landscape drawing, site inspection by Landscape Architect and City Arborist
Installation of a stormwater detention tank to slow stormwater flows	BP stage; staff review of building plans
Use of efficient/low-flow plumbing fixtures	DP and BP stage; written confirmation by Architect along with staff review of BP submission
Drought-tolerant and indigenous tree, shrub and plant species.	DP and BP stage; staff review of landscape drawing, site inspection by Landscape Architect and City Arborist

GHG Reduction:

Conservation Measure	Verification Method
Provision of bicycle racks and secure bike storage to promote alternative transportation	DP and BP stage; staff review of building plans
All parking spaces are to have access to roughed-in for EV charging	DP and BP stage; written confirmation by developer
Provision of space for recycling facilities to promote waste diversion	DP and BP stage; staff review of building plans

per OCP Sec. 9.11 Environmental Conservation DPA designation

D8000547(29)

THE CORPORATION OF THE CITY OF PORT COQUITLAM

“DEVELOPMENT PROCEDURES BYLAW, 2013, NO. 3849”

DEVELOPMENT VARIANCE PERMIT

NO. DVP00107

Issued to: Provincial Rental Housing Corporation, INC.NO. BC0052129
(Owner as defined in the Local Government Act,
hereinafter referred to as the Permittee)

Address: 1701-4555 Kingsway, Burnaby, BC V5H 4V8

1. This Development Variance Permit is issued subject to compliance with all of the Bylaws of the Municipality applicable thereto, except as specifically varied by this permit.
2. This Development Variance Permit applies to and only to those lands within the Municipality described below, and any and all buildings, structure and other development thereon:

Address: 2365 and 2371 Kelly Ave, Port Coquitlam

Legal Description: LOT K DISTRICT LOT 289 GROUP 1 NEW WESTMINSTER DISTRICT
PLAN 22141

LOT L DISTRICT LOT 289 GROUP 1 NEW WESTMINSTER DISTRICT
PLAN 22141

P.I.D.: 009-154-833; 009-154-876

3. The Zoning Bylaw, 2008, No. 3630 is varied as follows:
 - Section 2.5, Additional Regulations, Family-oriented dwelling units, is varied to allow the development to provide 2 family-friendly dwelling units.
4. The Parking and Development Management Bylaw, 2018, No.4078 is varied as follows:
 - Section 8, Required Off-Street Parking Spaces, be varied to allow the building to provide 12 resident parking spaces and 6 visitor parking spaces.
5. These variances are provided subject to:
 - The form and character of the building, including the siting, height and general design as shown on drawings attached to DP000597.
 - Registration of a Housing Agreement in perpetuity for the building prior to issuance of a Building Permit and to the satisfaction of the Director of

Development Services which: secures levels of housing affordability; details management/operations of the building and parking; limits the number of vehicles which can be registered at the building; and confirm City input into the selection of any future operator.

6. The land described herein shall be developed strictly in accordance with the terms and conditions and provisions of this permit.
7. This permit shall lapse if the Permittee does not substantially commence the construction permitted by this permit within two (2) years of the date of this permit.
8. This permit is not a building permit.

APPROVED BY COUNCIL THE _____ DAY OF _____, 2025.

SIGNED THIS _____ DAY OF _____, 2025.

Mayor

Corporate Officer

I ACKNOWLEDGE THAT I HAVE READ AND UNDERSTAND THE TERMS AND CONDITIONS UPON WHICH THIS PERMIT IS ISSUED.

Applicant (or Authorized Agent or Representative of Applicant)